

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

OzCrop

Flutriafol 500

FUNGICIDE

ACTIVE CONSTITUENT: 500g/L FLUTRIAFOL

GROUP **3** FUNGICIDE

For control of certain fungal diseases on wheat, barley and canola when mixed with fertiliser as per the Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

CONTENTS

1000 Litres

Formulation type
Suspension
Concentrate

SC

**NOT A DANGEROUS GOOD
ACCORDING TO THE AUSTRALIAN
DANGEROUS GOODS (ADG) CODE.**

BATCH NO.

DATE OF MANUFACTURE:

OzCrop Pty Ltd ABN 16 160 656 431
5.08, 12 Century Circuit, Norwest NSW 2153
Tel: 02 8123 0170 • Fax: 02 8123 0171
Email: enquiries@ozcrop.com.au
www.ozcrop.com.au

DIRECTIONS FOR USE

CROP	DISEASE RATE/ha	RATE/ha	WHP	CRITICAL COMMENTS																								
Canola	Blackleg (<i>Leptosphaeria maculans</i>)	200 mL	4 Weeks Grazing	Treatment will reduce blackleg infection in both susceptible and tolerant canola varieties. Application: Spray undiluted product evenly onto granulated fertiliser and immediately mix thoroughly in a mechanical mixer or auger. Apply at a rate which will deposit 200 mL of the product on the quantity of fertiliser required to be sown in furrow per hectare, using the table below as a guide.																								
Wheat	Stripe rust (<i>Puccinia striiformis</i>)	100 mL or 200 mL																										
	Septoria tritici blotch (S. tritici) Take-all (<i>Geaumannomyces graminis</i>)	200 mL																										
Barley	Powdery mildew (<i>Erysiphe graminis</i>) Scald (<i>Rhynchosporium secalis</i>)	100 mL or 200 mL																										
				<table><tr><th>Fertiliser rate per hectare (kg)</th><th>Volume of product per 100kg of hectare (kg) fertiliser (mL)</th></tr><tr><td>60</td><td>333*</td></tr><tr><td>70</td><td>285</td></tr><tr><td>80</td><td>250</td></tr><tr><td>100</td><td>200</td></tr><tr><td>120</td><td>166</td></tr></table> For control of stripe rust of wheat and control of powdery mildew and scald of barley, use the high rate where conditions conducive to severe disease are expected. Application: Spray product evenly onto granulated fertiliser and immediately mix thoroughly in a mechanical mixer or auger. Apply at a rate which will deposit the specific rate of the product on the quantity of fertiliser required to be sown in furrow per hectare, using the table below as a guide.	Fertiliser rate per hectare (kg)	Volume of product per 100kg of hectare (kg) fertiliser (mL)	60	333*	70	285	80	250	100	200	120	166												
Fertiliser rate per hectare (kg)	Volume of product per 100kg of hectare (kg) fertiliser (mL)																											
60	333*																											
70	285																											
80	250																											
100	200																											
120	166																											
				<table><tr><th>Fertiliser rate per hectare (kg)</th><th colspan="2">Volume of product per 100kg of hectare (kg) of hectare (kg) fertiliser (mL)</th></tr><tr><td></td><td>100 mL rate</td><td>200 mL rate</td></tr><tr><td>50</td><td>200</td><td>400*</td></tr><tr><td>60</td><td>166</td><td>333*</td></tr><tr><td>70</td><td>143</td><td>285</td></tr><tr><td>80</td><td>125†</td><td>250</td></tr><tr><td>100</td><td>100†</td><td>200</td></tr><tr><td>120</td><td>88†</td><td>166</td></tr></table> * Application volumes over 300mL per 100kg of fertiliser may adversely affect the flow rate and handling characteristics of dusty/poorly granulated fertilisers and some high nitrate fertilisers. † Where application volume is low, product may be diluted with water to improve coverage	Fertiliser rate per hectare (kg)	Volume of product per 100kg of hectare (kg) of hectare (kg) fertiliser (mL)			100 mL rate	200 mL rate	50	200	400*	60	166	333*	70	143	285	80	125†	250	100	100†	200	120	88†	166
Fertiliser rate per hectare (kg)	Volume of product per 100kg of hectare (kg) of hectare (kg) fertiliser (mL)																											
	100 mL rate	200 mL rate																										
50	200	400*																										
60	166	333*																										
70	143	285																										
80	125†	250																										
100	100†	200																										
120	88†	166																										

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

**APPLIED IN-FURROW AS A FERTILISER TREATMENT CANOLA, WHEAT AND BARLEY
DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 4 WEEKS AFTER SOWING**

GENERAL INSTRUCTIONS

Fertiliser Application

Ensure that treated fertiliser is dry before sowing with the crop.

Sowing: Treated fertiliser should be sown in the same furrow as the seed, not broadcast.

Note that the flow rate of fertiliser may be changed after treatment, and the seeder should be calibrated with the treated material to ensure that the correct rates of fertiliser and fungicide are delivered.

Do not mix seed with treated fertiliser.

RESISTANCE WARNING

GROUP 3 FUNGICIDE

OzCrop Flutriafol 500 Fungicide is a member of the DMI group of fungicides. For fungicide resistance management OzCrop Flutriafol 500 Fungicide is a Group 3 fungicide. Some naturally occurring individual fungi resistant to OzCrop Flutriafol 500 Fungicide and other Group 3 fungicides may exist through normal genetic variability in any fungal population.

The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by OzCrop Flutriafol 500 Fungicide or other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, OZ CROP PTY LTD accepts no liability for any losses that may result from the failure of OzCrop Flutriafol 500 Fungicide to control resistant fungi. Resistance should not be assumed without first reviewing the method of application, the coverage and the timing of application.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or watercourses with this product or the used container.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Harmful if absorbed by skin contact. Will irritate the eyes and may irritate the skin. Avoid contact with eyes and skin. When opening the container wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS), which can be obtained from the supplier.

NOTICE TO BUYER

To the extent permitted by law, all conditions and warranties and statutory or other rights or action which buyer or any other user may have against OzCrop Pty Ltd or Seller are hereby excluded. OzCrop Pty Ltd hereby gives Notice to Buyer and other users that it will not accept responsibility for any indirect or consequential loss arising from reliance on product information or advice provided by OzCrop Pty Ltd or on its behalf unless it is established that such information or advice was provided negligently and that the product has been used strictly as directed. OzCrop Pty Ltd liability shall, in all circumstances, be limited to replacement of the product or a refund of the purchase price paid therefor.

Safe Work Australia

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. Wash all exposed external body areas thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves, protective clothing, eye protection and face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER/doctor/physician/first aider if you feel unwell. IF ON SKIN: Wash with plenty of water. Rinse mouth. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.



OzCrop Pty Ltd ABN 16 160 656 431
5.08, 12 Century Circuit, Norwest NSW 2153
Tel: 02 8123 0170 • Fax: 02 8123 0171
Email: enquiries@ozcrop.com.au

visit our website www.ozcrop.com.au

APVMA Approval No.: 93476/139289

Label Release: 202307

