

OzCrop

OzCrop

Secure Flexible Solutions



# Product Guide 2021

# Herbicides

Product Description	Pack Size	Statement of Claim
<b>2,4-D Amine 625 Herbicide</b> Active: 625 g/L 2,4-D present as the Dimethylamine and Diethanolamine salts	20L, 110L, 1000L	For the control of broadleaf weeds in fallow before direct drilling or sowing of cereals and pastures; and in cereal crops, pastures, sugarcane, peanuts, and non-agricultural areas as per the Directions for Use. This is a PHENOXY HERBICIDE that can cause severe damage to susceptible crops such as cotton, grapes, tomatoes, oilseed crops and ornamentals.
<b>2,4-D Ester 680 Herbicide</b> Active: 680 g/L 2,4-D present as the ethyl hexyl ester	20L, 110L, 1000L	A specially formulated low volatile herbicide for selective control various weeds in crops, pastures and non-agricultural areas as per the Direction for Use table.
<b>2,4-D IPA 300 Herbicide</b> Active: 300 g/L 2,4-D present as the Isopropylamine salt	20L, 110L, 1000L	For the control of emerged broadleaf weeds prior to sowing crops and pastures in conservation tillage situations and for selective weed control in crops and situations detailed in the Directions for Use. This is a PHENOXY HERBICIDE that can cause severe damage to susceptible crops such as cotton, grapes, tomatoes, oilseed crops and ornamentals.
<b>2,4-D IPA 450 SL Herbicide</b> Active: 450 g/L 2,4-D present as the Isopropylamine salt	20L, 110L, 1000L	For the control of emerged broadleaf weeds prior to sowing crops and pastures in conservation tillage situations and for selective weed control in crops and situations detailed in the Direction for Use. This is a PHENOXY HERBICIDE that can cause severe damage to susceptible crops such as cotton, grapes, tomatoes, oilseed crops and ornamentals.
<b>2,4-DB 500 SC Herbicide</b> Active: 500 g/L 2,4-DB (present as the Dimethylamine salt)	20L	For the control of emerged broadleaf weeds prior to sowing crops and pastures in conservation tillage situations and for selective weed control in crops and situations detailed in the Direction for Use.
<b>Acifluorfen 224 Herbicide</b> Active: 224g/L Acifluorfen	5L, 10L, 20L	For the selective control of certain broadleaf weeds and grasses in mung beans, peanuts, soybeans, green beans and crops of Siratro and Stylo as specified in the direction for use table.
<b>Atrazine 500 SC Herbicide</b> Active: 500 g/L Atrazine	20L, 1000L	A pre-emergent and post-emergent herbicide for control of selected weeds in crops, pinus radiata plantations and TT-Canola as per Directions for Use table.
<b>Atrazine 900 WG Herbicide</b> Active: 900 g/kg Atrazine	15kg	For the control of weeds and grasses in sorghum, maize, sugar cane, lucerne, TT-Canola, and far fallow area maintenance and other situations as per the Directions for Use table.
<b>Bromo- Diflu EC Herbicide</b> Active: 250 g/L Bromoxynil present as Octanoate 25 g/L Diflufenican	20L, 110L, 1000L	For the control of certain broadleaf weeds in winter cereals and pasture as specified in the DIRECTIONS FOR USE table.
<b>Bromo/MCPA Herbicide</b> Active: 200g/L Bromoxynil 200 g/L MCPA	20L, 1000L	For the control of certain broadleaf weeds in wheat, oats, barley, cereal rye, triticale, linseed, grass pastures and turf as per the DIRECTIONS FOR USE table.

Product Description	Pack Size	Statement of Claim
<b>Bromoxynil 200 Selective Herbicide</b> Active: 200 g/L Bromoxynil present as the n-octanoyl ester Solvent: 610 g/L Liquid Hydrocarbon	20L, 110L, 1000L	For the control of certain broadleaf weeds in cereals, linseed, lucerne, pastures and turf.
<b>Carfentrazone 240 EC Herbicide</b> Active: 240g/L Carfentrazone-Ethyl Solvent: 699g/L Liquid Hydrocarbon, 20g/L N-Methyl-2-Pyrrolidone	5L, 10L	For improvement in the control of marshmallow and certain other broadleaf weeds prior to establishment of crops, fallows or forest plantations, in commercial, industrial and public service areas, around agricultural buildings and yards, in tree fruits, nuts, grape vines in tank mixture with knockdown herbicides; control of marshmallow and annual nettles in grass pastures and rough grass/turf areas; and control of volunteer cotton seedlings including Roundup Ready cotton and desiccation of cotton re- growth as per the Directions For Use Table.
<b>Cletho 240 Herbicide</b> Active: 240 g/L Clethodim Solvent: 606 g/L Liquid Hydrocarbon	20L, 110L, 1000L	For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the this leaflet.
<b>Clethodim 360 EC Herbicide</b> Active: 360 g/L Clethodim	20L, 110L, 1000L	For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, lettuce, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table.
<b>Clodinafop Herbicide</b> Active: 240 g/L Clodinafop 60 g/L Cloquintocet-Mexyl Solvent: 575 g/L Liquid Hydrocarbons 100 g/L N-Methyl-2-Pyrrolidone	10L, 20L	For control of Wild Oats, Paradoxa Grass (Annual Phalaris) Canary Grass and Annual Ryegrass in Wheat. Highly active on Wild Oats and can be mixed with many broadleaf herbicides as specified in the Directions for Use table.
<b>Clopyralid 300 SL Herbicide</b> Active: 300 g/L Clopyralid present as the Triisopropanolamine salt	10L, 20L, 110L	For the control of a wide range of broadleaf weeds in wheat, barley, oats, triticale, canola, pastures, fallow land, forests and industrial situations as specified in the Directions for Use table.
<b>Clopyralid 750 SG Herbicide</b> Active: 750 g/kg Clopyralid present as the Potassium Salt	2kg	For the control of a wide range of broadleaf weeds in wheat, barley, oats, triticale, canola, pastures and fallow land as specified in the Directions for Use.
<b>Dicamba 500 SL Herbicide</b> Active: 500 g/L Dicamba present as the Dimethylamine Salt	10kg	For the control of certain broadleaf weeds in winter cereals, pastures, conservation tillage, sugar cane, turf, rice, and non-crop areas as per Directions for Use.
<b>Dicamba 700 WG Herbicide</b> Active: 700 g/Kg Dicamba	5kg	Controls certain broadleaf weeds in winter cereals, pastures, conservation tillage, sugarcane, rice, turf, grain sorghum and non-crop areas.



Product Description	Pack Size	Statement of Claim
<b>Dicamba-M SL Herbicide</b> Active: 340 g/L MCPA (present as the dimethylamine salt) 80 g/L Dicamba (present as the dimethylamine salt)	5L, 20L	For the control of certain broadleaf weeds in winter cereals, pastures and non-crop areas.
<b>Diflufenican 500 SC Herbicide</b> Active: 500 g/L Diflufenican	10L	For the control of certain weeds in clover based pastures, field peas, lentils, lupins and oil seed poppies as specified on the Directions for Use table.
<b>Diuron 900 WG Herbicide</b> Active: 900 g/kg Diuron	15kg	For the control of weeds in apples, asparagus, bananas, cereals, citrus, coffee, commercial and industrial areas, cotton, lucerne, lupins, pawpaw\\\'s, pears, perennial grass seed crops, pineapples, rights-of-way, sugar cane and vineyards as specified in the Directions for Use table.
<b>Flumetsulam 800 WG Herbicide</b> Active: 600g/kg Flumetsulam	500g	A water dispersible granule formulation for the post-emergence and salvage control of certain broadleaf weeds in winter cereals (including those undersown with clover, lucerne or medics); clover, fenugreek, lathyrus, lucerne, medic, serradella, and vetch (Popany only) seed crops and pastures; chickpeas, field peas, lentils, maize, peanuts; and for the pre-emergence control of certain broadleaf weeds in maize and soybeans as specified in the Directions For Use.
<b>Flumioxazin 500 WG Herbicide</b> Active: 500 g/kg Flumioxazin	2kg, 5kg	For rapid knockdown and control of various grass and broadleaved weeds when mixed with certain glyphosate or paraquat/diquatherbicides, and for control of volunteer cotton when applied alone, prior to sowing cotton and its rotation crops, or for rapid knockdown and control of various broadleaved weeds when applied as a directed spray in cotton, as per the Directions for Use table.
<b>Fluroxypyr 200 EC Herbicide</b> Active: 200 g/L Fluroxypyr present as the Methyl Heptyl Ester Solvent: 586 g/L Liquid Hydrocarbon	20L, 110L	For the control of a wide range of broadleaf Weeds in Fallow, Lucerne, Maize, Millets, Pastures, Poppies, Sorghum, Sugar cane, Sweet corn, Winter Cereals. Also for the control of Woody Weeds in Agricultural Non-Crop areas, Commercial and Industrial Areas, Forests, Pastures and Rights-of-way as specified in the Directions for Use
<b>Fluroxypyr 400 EC Herbicide</b> Active: 400 g/L Fluroxypyr present as the Methyl Heptyl Ester	5L, 20L, 1000L	For the control of a wide range of broadleaf Weeds in Fallow, Lucerne, Maize, Millets, Pastures, Poppies, Sorghum, Sugar cane, Sweet corn, Winter Cereals. Also for the control of Woody Weeds in Agricultural Non-Crop areas, Commercial and Industrial Areas, Forests, Pastures and Rights-of-way as specified in the Directions for Use
<b>Haloxypop 520 EC Herbicide</b> Active: 520 g/L Haloxypop present as the Haloxypop-R-Methyl Ester	5L, 10L	For the post-emergent control of a wide range of annual and perennial grass weeds in grain legume and oilseed crops, lucerne, medic and clover pasture and seed crops, forestry, bananas, citrus, grapes, pineapples, pome and stone fruit, pyrethrum, tropical fruit and nut crops as specified in the Directions for Use.

Product Description	Pack Size	Statement of Claim
<b>Imazamox 700 WG Herbicide</b> Active: 700 g/kg Imazamox	1kg	For the post-emergence control of certain annual grass and broad leaved weeds in field peas, legume-based pastures, lucerne, peanuts and soybeans, as specified in the Directions for Use table.
<b>Imazapic 240 SL Herbicide</b> Active: 240 g/L Imazapic present as the ammonium salt	10L, 20L	For the pre-emergence control of certain annual grass and broadleaf weeds in fallow situations, sugarcane and peanuts and early post-emergence control of certain annual grass and broadleaf weed in peanuts and sugarcane as specified in the Directions for Use.
<b>Imazapyr 750 SG Herbicide</b> Active: 750 g/kg Imazapyr	1kg	For the control of various annual and perennial weeds in non-crop situations as per the Directions for Use table.
<b>Imazethapyr 700 WG Herbicide</b> Active: 700g/kg Imazethapyr	2kg	OZCROP IMAZETHAPYR 700 WG HERBICIDE - Group B Herbicide for the pre-emergence or post-emergence control of certain weeds in Centrosema (Cavalcade) chickpeas, faba beans, field peas, lucerne, mung beans, peanuts, serradella, and soybeans as per the Directions For Use.
<b>Isoxaflutole 750 WG Herbicide</b> Active: 750 g/kg Isoxaflutole	5kg	For the control of certain broadleaf weeds in winter cereals and clover as specified in Directions for Use Table.
<b>LV MCPA / Diflufenican SL Herbicide</b> Active: 250 g/L MCPA present as the Ethyl Hexyl Ester 25 g/L Diflufenican. Solvent: 325 g/L Liquid Hydrocarbons 150 g/L N-Methyl-2-Pyrrolidone	20L, 110L	For the control of certain broadleaf weeds in winter cereals and clover as specified in Directions for Use Table.
<b>LVE MCPA 570 Herbicide</b> Active: 570 g/L MCPA present as the 2-Ethylhexyl Ester	20L, 110L, 1000L	For selective control of certain weeds in agricultural crops as listed in the Directions for Use.
<b>MCPA 750 SL Herbicide</b> Active: 750 g/L MCPA present as the Dimethylamine Salt	20L, 110L, 1000L	For the control of broadleaf weeds in cereals, linseed, pastures, rice, sugar cane and turf as specified in the Directions for Use table.
<b>Metolachlor 720 EC Herbicide</b> Active: 720 g/L Metolachlor	20L, 110L, 1000L	For the control of certain annual grasses and broadleaf weeds in certain crops as specified in the Direction for Use.
<b>Metribuzin 750 WG Herbicide</b> Active: 750 g/kg Metribuzin	5kg	For selective weed control in cereals, pastures and other crops including vegetables as indicated in the Directions for Use.
<b>Metsulfuron 600 WG Herbicide</b> Active: 600 g/kg Metsulfuron Methyl	500g	For the control of certain annual grasses and broadleaf weeds in certain crops as specified in the Direction for Use.
<b>Oxyfluorfen 240 EC Herbicide</b> Active: 240 g/L Oxyfluorfen Solvent: 530 g/L liquid Hydrocarbons 100 g/L N-Methyl Pyrrolidone	5L, 10L, 20L	For the non-selective and selective weed control of broadleaf weeds and some grasses as specified in the Directions for Use table.
<b>Picloram / MCPA Herbicide</b> Active: 420 g/L MCPA present as the potassium salt 26 g/L Picloram present as the potassium salt	20L, 110L, 1000L	For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops, as specified in the Directions for Use table.

Product Description	Pack Size	Statement of Claim
<b>Picloram 75-D Herbicide</b> Active: 300 g/L 2,4-D, present as the triisopropanolamine salt 75 g/L Picloram, present as the triisopropanolamine salt	20L, 110L, 1000L	For the control of a wide range of annual and perennial broadleaf weeds, as specified in the Directions for Use. This is a PHENOXY HERBICIDE that can cause severe damage to susceptible crops such as cotton, grapes, tomatoes, oilseed crops and ornamentals.
<b>Propaz 500 WG Herbicide</b> Active: 500 g/kg Propyzamide	15kg	For selective control of certain grasses and broad leaf weeds in Lettuce, Sports turf, Home lawns and Legume seed crops and pastures, as per the DIRECTIONS FOR USE TABLE.
<b>Quizalofop-P-Ethyl 200 EC Herbicide</b> Active: 200 g/L Quizalofop-P-Ethyl Solvent: 592 g/L liquid Hydrocarbons, 150 g/L N-Methyl Pyrrolidone	10L, 20L, 110L, 1000L	Group A Herbicide for the control of certain grass weeds in broadleaf crops as per Directions for Use table.
<b>Ransake Herbicide</b> Active: 300 g/L Triclopyr present as the butoxyethyl ester plus 100 g/L Picloram present as hexyloxypropylamine salt	20L, 110L	For control of a range of environmental and noxious woody and herbaceous weeds as specified in the Directions for Use.
<b>Simazine 900 WG Herbicide</b> Active: 900 g/L Simazine	15kg	For the control of weeds in chickpeas, lupins, TT-Canola, orchards, vineyards and certain other horticultural and non-crop situations as per the Directions for Use table.
<b>S-Metolachlor 960 EC Herbicide</b> Active: 960 g/L S-Metolachlor	20L, 110L, 1000L	Controls certain annual grasses and broadleaf weeds in certain crops as specified in the Directions for Use.
<b>Tebuthiuron 200 Herbicide</b> Active: 200 g/kg Tebuthiuron	15kg, 500kg	For control of brigalow regrowth, tea tree regrowth, Mimosa pigra and certain problem woody weeds on grazing lands by hand, aerial and ground application.
<b>Terbuthylazine 875 WG Herbicide</b> Active: 875 g/L Terbuthylazine	5kg, 15kg	For the control of weeds in chickpeas, faba beans, fallows, field peas, lentils, lupins, sorghum, and triazine tolerant canola as per the directions for use table.
<b>Terbutryn / MCPA Herbicide</b> Active: 275g/L Terbutryn 160g/L MCPA present as the potassium salt	20L, 1000L	For the control of seedling broadleaf weeds in wheat, barley, some varieties of oats, pasture and sugar cane as specified in the directions for use table.
<b>Terbutryn 500 SC Herbicide</b> Active: 500 g/L Terbutryn	10L, 20L	Controls certain early competing broadleaf weeds in wheat, barley, triticale, pastures, some varieties of oats and field peas as per Directions for Use table.
<b>Tralkoxydim 400 WG Herbicide</b> Active: 400 g/kg Tralkoxydim	5kg, 10kg, 25kg	For post-emergent control of annual rye grass, common barb grass and wild oats in wheat, linseed, peas and other crops and for the control of crowsfoot grass in turf as listed in the Directions for Use table.
<b>Triclopyr 600 EC Herbicide</b> Active: 600 g/L Triclopyr present as the Butoxyethyl Ester	20L, 110L	For the control of a range of woody weeds and melons as specified in the Directions for Use table.
<b>Trifluralin 480 EC Herbicide</b> Active: 480g/L Trifluralin	20L, 110L, 1000L	A pre-emergence herbicide for the control of annual grasses and broadleaf weeds in horticultural and agricultural crops as per the directions for use table.

# Knockdown

Product Description	Pack Size	Statement of Claim
<b>Blowout Herbicide (Paraquat/Diquat)</b> Active: 135 g/L Paraquat present as Paraquat Dichloride 115 g/L Diquat present as Diquat Dibromide	20L, 110L, 1000L	For the control of a wide range of grasses and broadleaf weeds. Can be utilised in crop establishment programs. Contains non-ionic wetter.
<b>Diquat 200 Herbicide</b> Active: 200 g/L Diquat present as Diquat Dibromide Monohydrate	20L, 110L, 1000L	For the control of wide range of broad leaf weeds in certain crops and leaf dessication as per Directions for Use table.
<b>Glufos 800 SG Herbicide</b> Active: 800 g/kg Glufosinate-Ammonium	5kg, 15kg	For the Non-Residual control of Broadleaf and Grass Weeds in Various Situations as indicated in the Directions for Use table.
<b>Glufos Herbicide</b> Active: 200 g/L Glufosinate-Ammonium	20L, 110L, 1000L	For the Non-Residual control of Broadleaf and Grass Weeds in Various Situations as indicated in the Directions for Use.
<b>Glyphosate 540 K Herbicide</b> Active: 540g/l Glyphosate present as the Potassium salt	20L, 110L, 1000L	Non selective herbicide for the control of many annual and perennial weeds.
<b>Glyphosate 700 WSG Herbicide</b> Active: 700 g/kg Glyphosate present as the Mono-Ammonium Salt	15kg	A non-selective herbicide for the control of many annual and perennial weeds in certain situations as indicated in the Directions for Use.
<b>Glyphosate XtraQatic 450 Herbicide</b> Active: 450 g/L Glyphosate present as the Isopropylamine Salt	5L, 20L, 110L, 1000L	Glyphosate Xtraqatic 450 Herbicide is a non-selective and non residual herbicide for the control of a broad range of Annual and Perennial Weeds as specified in the Directions for Use Table.
<b>Musta 450 Herbicide</b> Active: 450 g/L Glyphosate present as the Isopropylamine Salt	20L, 110L, 1000L	OZCROP MUSTA 450 Herbicide is a non-residual herbicide for the control of a broad range of Annual and Perennial Weeds.
<b>Paraquat 250 Herbicide</b> Active: 250 g/L Paraquat present as Paraquat Dichloride	20L, 110L, 1000L	For the control of a wide range of grasses and broadleaf weeds as per Directions for Use table.
<b>Paraquat 360 SL Herbicide</b> Active: 360 g/l Paraquat present as Paraquat Dichloride	20L, 110L, 1000L	For the control of a wide range of grasses and broadleaf weeds as specified in the Directions for Use Table

# Fungicides

Product Description	Pack Size	Statement of Claim
<b>Azoxycypro WG Fungicide</b> Active: 600 g/kg Azoxystrobin 240 g/kg Cyproconazole	5kg, 10kg	Controls certain fungal diseases in Barley and Wheat
<b>Azoxystrobin 250 SC Fungicide</b> Active: 250 g/L Azoxystrobin	5L, 20L	For the control of various diseases of Grapes, Potatoes, Tomatoes, Cucurbits, Avocados, Mangoes, Passionfruit and Poppies, as per the Directions for Use table
<b>Captan 900 WG Fungicide</b> Active: 900g/kg Captan	10kg	For the control of certain diseases in almonds, a range of fruit crops, turf, & ornamentals as per the Directions for Use Table.
<b>Chlorothalonil 900 WG Fungicide</b> Active: 900 g/kg Chlorothalonil	15kg	For the control of fungal diseases on almonds, apricots, bananas, carrots, chickpeas, celery, cherries, faba beans, grapes, lentils, onions, peaches, peanuts, pea's, plums, potatoes, tomatoes and vegetables as per the Directions for Use Table.
<b>Cyprofludox WG Fungicide</b> Active: 375 g/kg cyprodinil, 250 g/kg fludioxonil	5kg	For the control of various fungal diseases in capsicum, cut flowers, grapes, leafy vegetables, lettuce, nursery stock, onions, pyrethrum and strawberries.
<b>Epoconazole 125 SC Fungicide</b> Active: 125 g/L Epoconazole	20L	For the control of leaf rust, stripe rust and Septoria nodorum blotch of wheat and leaf rust of barley as per the Directions for Use Table.
<b>Iprodione 500 Fungicide</b> Active: 500 g/L Iprodione	5L, 10L	For the control of certain fungal diseases in various crops and situations.
<b>Propiconazole 250 EC Fungicide</b> Active: 250 g/L Propiconazole Solvent: 569 g/L Hydrocarbon liquid	20L	Controls certain fungal diseases of bananas, peanuts, perennial ryegrass, pineapples, stone fruit, sugar cane, turf, wheat and other crops as specified in the Directions for Use table.
<b>Procyridone 500 SC Fungicide</b> Active: 500 g/L Procyridone	5L, 20L	For the control of certain fungal diseases on various crops as specified in the Directions for Use table
<b>Tebuconazole 430 SC Fungicide</b> Active: 430 g/L Tebuconazole	20L, 110L	For the control of leaf spot and leaf speckle on bananas; rust, leaf spot and net blotch of peanuts; foliar diseases on cereal crops; and other diseases on beans, peas, onions, pawpaw, pyrethrum, and ryegrass and fescue seed crops as specified in the Directions for Use table.



# Insecticides

Product Description	Pack Size	Statement of Claim
<b>Chlorpyrifos 500 EC Insecticide</b> Active: 500 g/L Chlorpyrifos (an anti-cholinesterase compound) Solvent: 480 g/L Liquid Hydrocarbons	20L, 110L, 1000L	For the control of a wide range of insect pests on fruit, vegetables, oilseeds, cotton, cereals, pasture, turf and other situations as specified in the Directions For Use table. THIS PRODUCT IS TOO HAZARDOUS FOR USE BY HOUSEHOLDERS. HOUSEHOLDERS MUST NOT USE THIS PRODUCT IN OR AROUND THE HOME.
<b>Imidacloprid 350 SC Insecticide</b> Active: 350 g/L Imidacloprid	1L, 5L, 10L, 20L, 110L	A soil applied treatment for the control of Greyback and Childers canegrub in sugarcane and Silverleaf whitefly in various vegetable crops as specified in the Directions for Use Table.
<b>Imidacloprid 600 FS Insecticide</b> Active: 600 g/L Imidacloprid	1L, 5L, 10L, 20L, 110L	For the control of various insect pests in a range of crops and the protection of spread of barley yellow dwarf virus in cereal crops, as specified in the Directions for Use.
<b>Indoxocarb 300 WG Insecticide</b> Active: 312.5 g/kg indoxacarb (96:4) sufficient to provide 300g/kg active s-isomer	5kg	For the control of insect pests in various crops as specified in the Directions for Use.
<b>Methomyl 225 SL Insecticide</b> Active: 225 g/L Methomyl Solvent: 593 g/L	20L	For the control of insect pests in various crops as specified in the Directions for Use.
<b>Methoxyfenozide 240 SC</b> Active: Methoxyfenozide 240g/L	1L, 5L, 10L	<b>Pending registration Sept 21</b>
<b>Pirimicarb 500 WG</b> Active: 500g/kg Pirimicarb	5kg	For the control of certain Aphids on crops and pastures

# Adjuvants

Product Description	Pack Size	Statement of Claim
<b>Penetrate 700 Surfactant</b> Active: 350 g/L Soyal Phospholipids 350 g/L Propionic Acid	20L, 110L, 1000L	Acidifying and penetrating surfactant. Reduces alkaline hydrolysis of Dimethoate. Assists with uptake of foliar fertilizers and assists in management of spray droplet size.
<b>Sodden 1000 Wetter</b> Active: 800g/L Nonyl Phenol Ethoxylates, 200g/L Diethylene Glycol Monobutyl ether	20L	Non-ionic Wetting and Spreading Agent Formulated to Increase Spray Contact, Coverage and Penetration of Herbicides, Fungicides and Insecticides.

To order one or more of these products contact your regional manager or OzCrop directly  
Tel: **0281230170** • [enquiries@ozcrop.com.au](mailto:enquiries@ozcrop.com.au)

## Regional Sales Managers

Queensland  
**Mark Holland**  
Mobile: 0427 415 466  
Email: [mark@ozcrop.com.au](mailto:mark@ozcrop.com.au)

South Australia  
**Julien Pearce**  
Mobile: 0473 886 632  
Email: [julien@ozcrop.com.au](mailto:julien@ozcrop.com.au)

New South Wales  
**Bill Schulz**  
Mobile: 0499 265 086  
Email: [bill@ozcrop.com.au](mailto:bill@ozcrop.com.au)

Victoria and Tasmania  
TBC

Eastern and Coastal New South Wales  
**Geoff Witzgall**  
Mobile: 0408 962 467  
Email: [geoff@ozcrop.com.au](mailto:geoff@ozcrop.com.au)

WA & NT  
**Chris Palmer**  
Phone: 0439 163 814  
Email: [chris@ozcrop.com.au](mailto:chris@ozcrop.com.au)

## Warehouse Locations

<b>Melbourne:</b>	Rod Pilon Transport, Shed 1, 1 Gilbertson Road, Laverton North VIC 3026
<b>Brisbane:</b>	Rod Pilon Transport, 101 Stradbroke Street, Heathwood, QLD 4110
<b>Sydney:</b>	Rod Pilon Transport Sydney, 15 Holbeche Road, Arndell Park NSW 2148
<b>Dubbo:</b>	Rod Pilon Transport, Lot 21 Mitchell Highway, Dubbo NSW 2830
<b>Moree:</b>	Rod Pilon Transport, 2 Iron Street, Moree NSW 2400
<b>Adelaide:</b>	Ag Logistics - Ron Crouch Transport, 41 Jonal Drive, CAVAN SA 5094
<b>Perth:</b>	Agrishop, 420 Nicholson Road, Forrestdale WA 6112

## Operational Team

<b><u>General Manager</u></b> <b>Mike Phelan</b> Mobile: 0418 241 376 Email: mike@ozcrop.com.au	<b><u>Accounts</u></b> <b>Rosa Munoz</b> Phone: 02 8123 0170 Email: admin@ozcrop.com.au rosa@ozcrop.com.au
<b><u>Supply Chain</u></b> <b>Geoff Witzgall</b> Phone: 02 8123 0170 Email: supply@ozcrop.com.au geoff@ozcrop.com.au	<b><u>Customer Service</u></b> <b>Sally Peters</b> Phone: 02 8123 0170 Email: orders@ozcrop.com.au sally@ozcrop.com.au



***OzCrop Pty Ltd*** ABN 16 160 656 431  
G13/25 Solent Circuit NORWEST NSW 2153  
Tel: 02 8123 0170 • Fax: 02 8123 0171  
**[www.ozcrop.com.au](http://www.ozcrop.com.au)    [enquiries@ozcrop.com.au](mailto:enquiries@ozcrop.com.au)**

Labels & SDS Sheets available – [www.ozcrop.com](http://www.ozcrop.com)

The Ozcrop product guide reflects the products registered with the APVMA. Not all products or pack sizes listed may be available for sale ex Ozcrop Warehouses. Please confirm with your Regional Manager.